
RESPONSIVE WEB DESIGN FROM THE FUTURE

pushState. replaceState. Hashbangs!# AJAX. PJAX. Beets. Bears. Battlestar Galactica.

Kyle Neath is...



@kneath



warpspire.com

Let's talk about URL Design Partial Page Updates

The future of the web is...

HTML5 History API + Smart Partial Page Updates

The future of the web is...

RESPONSIVE

How do you define responsive?

"Responsive Web Design"

Resize the browser

With an iPad / Playbook

(lol/jk)

Feels FasterTM Fast pageloads **Animates naturally** Responds instantly

click touch zoom scroll swipe type resize

Browser Native

Keyboard Shortcuts

Back & Forward Buttons

URL Hacking

Technologies

@media queries Modernizr jQuery.hotKeys CSS3 Animations HTML5 History API XMLHTTPRequest mustache.js

enedia quertes jQuery-hotkeys CSS3-Animations HTML5 History API XMLHTTPRequest mustache.js


... and how GitHub is stumbling through them

My recent love affair URL Design

URLs are sexy

Working with Terminal made me love URLs


```
Terminal — bash — Solarized Dark ansi — 64×15
~ $ ls
Applications
                           Pictures
Desktop
                           Public
Documents
                           Sites
Downloads
                           bin
Dropbox
                           design
GitHub.sparsebundle
                           example.txt
Interface Tweaks
                           src
Library
                           tmp
Movies
                           wat.psd
Music
~ $ I
```



Who needs directions if you can skip to the destination?

URLs are like transporters

Everything should have a URL




A URL is an agreement


Can you see a future with hashbangs?

#!/defunct

FOREVER

An <a>> should behave like an <a>>






Be responsive!

Browsers have windows & tabs

```
e.which ==
     88
 !e.metaKey
     88
!e.shiftKey
```

Making people say Feels FasterTM

Welcome to the AJAX Generation




Welcome to the AJAX Generation iPhone Generation




Fast is about perception





name	age	message	history
□ bin/	February 03, 2011	Accept namespaces in `resque` command [paulrosania]	
docs/	August 23, 2010	Add docs for after_enqueue hook [darkhelmet]	
a examples/	1 day ago	Fix monit example: needs /bin/sh to be a login she [defunkt]	
□ lib/	about 6 hours ago	1.17.1 [defunkt]	
i test/	May 16, 2011	Hoptoad backend has always been optional - don't r [defunkt]	
	May 16, 2011	added Gemfile.lock to gitignore [morgoth]	
.kick	November 02, 2009	rake kick [defunkt]	
Gemfile	1 day ago	Add rake the Gemfile's test group. [dpiddy]	






4c6c166ed2f0cd3d07da

8401f8ebe39583142edd



defunkt (author)









Watch

Why are we focusing up here?

Resque is a Redis-backed Ruby library for creating background jobs, placing those jobs on multiple queues, and processing them later.

□ Downloads

http://github.com/blog/542-introducing-resque

This is the part that changes 1.17.1

defunkt (author) about 6 hours ago


4c6c166ed2f0cd3d07da 8401f8ebe39583142edd

name	age	message	history
i bin∕	February 03, 2011	Accept namespaces in `resque` command [paulrosania]	
□ docs/	August 23, 2010	Add docs for after_enqueue hook [darkhelmet]	
<pre>examples/</pre>	1 day ago	Fix monit example: needs /bin/sh to be a login she [defunkt]	
□ lib/	about 6 hours ago	1.17.1 [defunkt]	
i test/	May 16, 2011	Hoptoad backend has always been optional - don't r [defunkt]	
	May 16, 2011	added Gemfile.lock to gitignore [morgoth]	
.kick	November 02, 2009	rake kick [defunkt]	
Gemfile	1 day ago	Add rake the Gemfile's test group. [dpiddy]	

Caching!

...is really difficult

AJAX!




loaders are not responsive




loaders are not responsive






name	age	message	history
□ bin/	February 03, 2011	Accept namespaces in `resque` command [paulrosania]	
docs/	August 23, 2010	Add docs for after_enqueue hook [darkhelmet]	
a examples/	1 day ago	Fix monit example: needs /bin/sh to be a login she [defunkt]	
□ lib/	about 6 hours ago	1.17.1 [defunkt]	
i test/	May 16, 2011	Hoptoad backend has always been optional - don't r [defunkt]	
	May 16, 2011	added Gemfile.lock to gitignore [morgoth]	
.kick	November 02, 2009	rake kick [defunkt]	
Gemfile	1 day ago	Add rake the Gemfile's test group. [dpiddy]	






name	age	message	history
resque	February 03, 2011	Accept namespaces in `resque` command [paulrosania]	
resque-web	March 03, 2010	Feature: specify a Redis namespace via command [rmoriz]	





name	age	message	history
resque	February 03, 2011	Accept namespaces in `resque` command [paulrosania]	
resque-web	March 03, 2010	Feature: specify a Redis namespace via command [rmoriz]	





name	age	message	history
□ bin/	February 03, 2011	Accept namespaces in `resque` command [paulrosania]	
a docs/	August 23, 2010	Add docs for after_enqueue hook [darkhelmet]	
<pre>examples/</pre>	1 day ago	Fix monit example: needs /bin/sh to be a login she [defunkt]	
□ lib/	about 6 hours ago	1.17.1 [defunkt]	
i test/	May 16, 2011	Hoptoad backend has always been optional - don't r [defunkt]	
	May 16, 2011	added Gemfile.lock to gitignore [morgoth]	
.kick	November 02, 2009	rake kick [defunkt]	
Gemfile	1 day ago	Add rake the Gemfile's test group. [dpiddy]	

Only use loaders when requests are slow

~500ms


Cache content for zero-request updates

Think about the back button

There will always be full page loads

If you want fast...


Serve all HTML (or JSON) in one request




Remember, page load time is about perception

When can I: scroll, read text, click links?

Twitter: HTML + CSS + JS



Twitter: HTML + CSS + JS



Apply Science

https://twitter.com/#!/kneath

4.7sec

total load time

4.3sec

timeline load

Time to usable!

Apply Science

https://github.com/kneath

3.4sec

total load time

1.1sec

HTML/CSS/JS loaded


Time to usable!

Why is Twitter's so slow?

Each domain is a new SSL Handshake

twitter.com
api.twitter.com

Handshakes and Waterfalls



SSL Negotiation is our bottleneck


40ms backend response time 500ms blocking SSL Negotiation

Always favor science over theory

Be Responsive


Client-Side Cache AJAX/JSON Request Full Page





name	age	message	history
□ bin/	February 03, 2011	Accept namespaces in `resque` command [paulrosania]	
docs/	August 23, 2010	Add docs for after_enqueue hook [darkhelmet]	
a examples/	1 day ago	Fix monit example: needs /bin/sh to be a login she [defunkt]	
□ lib/	about 6 hours ago	1.17.1 [defunkt]	
i test/	May 16, 2011	Hoptoad backend has always been optional - don't r [defunkt]	
	May 16, 2011	added Gemfile.lock to gitignore [morgoth]	
.kick	November 02, 2009	rake kick [defunkt]	
Gemfile	1 day ago	Add rake the Gemfile's test group. [dpiddy]	





name	age	message	history
resque	February 03, 2011	Accept namespaces in `resque` command [paulrosania]	
resque-web	March 03, 2010	Feature: specify a Redis namespace via command [rmoriz]	

So if we want partial page updates sometimes, full page updates other times...

Server or client side template rendering?

Both!

Use the same templates

mustache.rb mustache.js

Render HTML in AJAX/JSON

partials are your friend


But...

With SSL negotiation, server time is ~free

One is simpler than two


URL Design + Feels FasterTM





resque /

name	age	message	history
□ bin/	February 03, 2011	Accept namespaces in `resque` command [paulrosania]	
a docs/	August 23, 2010	Add docs for after_enqueue hook [darkhelmet]	
<pre>examples/</pre>	2 days ago	Fix monit example: needs /bin/sh to be a login she [defunkt]	
□ lib/	1 day ago	1.17.1 [defunkt]	
i test/	May 16, 2011	Hoptoad backend has always been optional - don't r [defunkt]	
	May 16, 2011	added Gemfile.lock to gitignore [morgoth]	
.kick	November 02, 2009	rake kick [defunkt]	
Gemfile	2 days ago	Add rake the Gemfile's test group. [dpiddy]	
HISTORY.md	1 day ago	1.17.1 [defunkt]	



resque /

name	age	message	history
□ bin/	February 03, 2011	Accept namespaces in `resque` command [paulrosania]	
□ docs/	August 23, 2010	Add docs for after_enqueue hook [darkhelmet]	
a examples/	2 days ago	Fix monit example: needs /bin/sh to be a login she [defunkt]	
□ lib/	1 day ago	1.17.1 [defunkt]	
□ test/	May 16, 2011	Hoptoad backend has always been optional - don't r [defunkt]	
:gitignore	May 16, 2011	added Gemfile.lock to gitignore [morgoth]	
.kick	November 02, 2009	rake kick [defunkt]	
■ Gemfile	2 days ago	Add rake the Gemfile's test group. [dpiddy]	
history.md	1 day ago	1.17.1 [defunkt]	
LICENSE	February 04, 2011	time is an illusion [defunkt]	
README.markdown	about 22 hours ago	Even better screenshot in README [defunkt]	

HTML5 History API makes me all tingly

pushState

URL Change + back button stack

replaceState

URL Change only

Partial page updates with real URLs!

We can design for the back button!

Browser Support?



Browser Support?

85%

https://github.com

history.js

balupton/history.js
github

If you use hashbangs...

Javascript redirects

two requests instead of one

Confusing code paths

some routing in server, some in js?

Cost of History API

Some users get a slower experience

But isn't Chrome already faster than IE7?

Cost of Hashbangs Poison your URL structure


Committing to nasty JS redirects FOREVER

Manual anchor Javascript

This stuff is opening up Futuristic design

State? We can do that

?milestone=3&sort=created&direction=desc&state=open



Save URLs in database

replaceState on load

but only if there aren't any params already

Maintain state across pageviews

Copy & paste URLs over IM / chat

Infinite Scroll? We can do that (correctly)

Lots of websites are using infinite scroll

Facebook Tumblr Twitter

And they're all broken

Infinite scroll is only better than pages if you can restore your position

http://warpspire.com/experiments/history-api



History API — Warpspire Experiments

warpspire experiments

In relation to Responsive web design from the future

i Overview

- Explanation
- See the Code

Infinite Scroll + HTML5 History API

This example shows the power of the History API when combined with infinite scroll. Fluid user experience and hard linking all in one. Scroll down, click a link & press the back button, refresh the page — it all just works.



@holman Zach Holman

@moonpolysoft i'm not really hungry right now though

about 15 hours ago



@holman Zach Holman

@Karmic_Mishap good god that made me laugh

about 16 hours ago



@holman Zach Holman

This hooker isn't accepting bitcoins. Now what do I do.

about 16 hours ago



@holman Zach Holman

@timhaines my toilet is sequestered in a tiny room away from the sink and

shower, so YES

about 23 hours ago



@holman Zach Holman

@allison_house NEIGHBOR

Good URL Design + History API makes for...

Happy Unix Enthusiasts Happy Grandmas Happy Developers

warpspire.com/talks/responsive